



Cellulose Wood Based Activated Carbon Metal Extraction Activated Wood Charcoal

Our Product Introduction

for more products please visit us on activatedcarbon-charcoal.com

Basic Information

- Place of Origin: Datong, Shanxi, China
- Brand Name: Xinyue
- Minimum Order Quantity: 1 Ton
- Packaging Details: 500kg/bag , 25kg/bag
- Payment Terms: T/T
- Supply Ability: 100,000 Ton/Tons per Year



Product Specification

- CAS No: 64365-11-3
- Purity: 99.99%
- Type: Adsorbent
- Iodine Number: 800-1200mg/g
- Ash: <12
- Moisture: <5%
- EINECS No: 264-846-4
- Package: 500kg/bag Or 25kg/bag
- Hardness: >95%
- Highlight: Wood Based Activated Carbon Metal Extraction,
Cellulose Wood Based Activated Carbon,
Cellulose Activated Wood Charcoal



Product Description

Cellulose Activated Carbon / Wood Materials / Metal Extraction

Characteristics of raw materials: "Cellulose" is the main component of plant cell wall, and is also a rich organic polymer in wood and many other plant materials. Activated carbon made from this cellulose-rich material has unique adsorption characteristics

High specific surface area: Due to the fine structure of the cellulose material, the resulting activated carbon tends to have a higher specific surface area, which means that it provides more active sites for adsorption.

Adsorption properties: "Cellulose Activated Carbon" has good adsorption dynamics due to its highly developed microporous structure, which makes it particularly suitable for adsorption of small molecule pollutants.



Hong Kong Xinyue Activated Carbon Limited



act.carbon@xinyue.hk



activatedcarbon-charcoal.com

rooms 1318-19 13/F hollywood plaza 610 nathan road mong kok hong kong.