

Activated Carbon For Controlling Industrial Emissions / Treatment Of Sewage

Basic Information

- Place of Origin:
- Datong, Shanxi, China
- Brand Name:
- Minimum Order Quantity:
- Packaging Details:
- Payment Terms:
- Supply Ability:
- Xinyue 1 Ton
- 500kg/bag, 25kg/bag T/T
- 100,000 Ton/Tons per Year



Product Specification

• Highlight:	Industrial Emissions Treatment Activated Carbon , Industrial Emissions Activated Carbon, Sewage Treatment Activated Carbon
• Hardness:	>95%
 Package: 	500kg/bag Or 25kg/bag
• EINECS No:	264-846-4
Moisture:	<5%
• Ash:	<12
Iodine Number:	800-1200mg/g
• Type:	Adsorbent
• CAS No:	64365-11-3



Our Product Introduction

Product Description

Activated Carbon For Controlling Industrial Emissions / Treatment Of Sewage

In industrial processes, activated carbon is used to remove harmful gases and volatile organic compounds (VOCs) from exhaust streams. It can capture pollutants such as sulfur dioxide, nitrogen oxides, hydrogen sulfide, and various organic vapors.

The adsorption process occurs when the pollutant molecules come into contact with the activated carbon's surface and are trapped within its pores. This helps to reduce the concentration of pollutants released into the atmosphere, thereby minimizing the impact on air quality and human health.

It can be customized to meet the specific requirements of different industrial applications, depending on the type and concentration of pollutants to be removed.

In addition to its effectiveness in controlling emissions, activated carbon is also a relatively cost-effective solution compared to other emission control technologies.



C

act.carbon@xinyue.hk @ activatedcarbon-charcoal.com

rooms 1318-19 13/F hollywood plaza 610 nathan road mong kok hong kong.